# A Division of SoSafe™ Specialty Products





### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

**Product name DELUXE GREEN** 

**Synonyms** DELUXE GREEN DISHWASHING LIQUID • ECOWASH DELUXE GREEN

1.2 Uses and uses advised against

**DISHWASHING LIQUID** Uses

1.3 Details of the supplier of the product

BRACTON CHEMICALS™ - A DIVISION OF SOSAFE™ SPECIALTY PRODUCTS Supplier name

**Address** 50 Chard Road Brookvale, NSW, 2100, AUSTRALIA

02 9938 1800 Telephone

**Email** office@bracton.com

1.4 Emergency telephone numbers

**Emergency** 02 9938 1800

### 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

**Physical Hazards** 

Not classified as a Physical Hazard

**Health Hazards** 

Skin Corrosion/Irritation: Category 2

Serious Eye Damage / Eye Irritation: Category 2A

**Environmental Hazards** 

Not classified as an Environmental Hazard

2.2 GHS Label elements

**WARNING** Signal word

**Pictograms** 



**Hazard statements** 

H315 Causes skin irritation. H319 Causes serious eye irritation.

**Prevention statements** 

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Page 1 of 7

ChemAlert.

Revision No: 1.2

SDS Date: 22 Apr 2025

#### Response statements

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P321 Specific treatment is advised - see first aid instructions.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Storage statements

None allocated.

# **Disposal statements**

None allocated.

### 2.3 Other hazards

No information provided.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

| Ingredient                       | CAS Number    | EC Number     | Content   |
|----------------------------------|---------------|---------------|-----------|
| SODIUM DODECYLBENZENE SULPHONATE | 25155-30-0    | 246-680-4     | 1 to 10%  |
| SODIUM LAURYL ETHER SULPHATE     | 9004-82-4     | 618-398-5     | 1 to 5%   |
| SODIUM HYDROXIDE                 | 1310-73-2     | 215-185-5     | 1 to <2%  |
| WATER                            | 7732-18-5     | 231-791-2     | Remainder |
| NON HAZARDOUS INGREDIENTS        | Not Available | Not Available | 1 to 5%   |

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If

swallowed, do not induce vomiting.

# 4.2 Most important symptoms and effects, both acute and delayed

May cause irritation to the eyes, skin and respiratory system.

## 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

# 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve carbon oxides and hydrocarbons when heated to decomposition.

# 5.3 Advice for firefighters

Treat as per requirements for surrounding fires. Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

# 5.4 Hazchem code

None allocated.

ChemAlert.

SDS Date: 22 Apr 2025 Revision No: 1.2

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

### **6.2 Environmental precautions**

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

If spilt (bulk), mop up area. CAUTION: Spill site may be slippery.

### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills.

### 7.3 Specific end uses

No information provided.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

### **Exposure standards**

| Ingredient                         | Reference | TWA |          | STEL |       |
|------------------------------------|-----------|-----|----------|------|-------|
| mgredient                          |           | ppm | mg/m³    | ppm  | mg/m³ |
| Sodium hydroxide (peak limitation) | SWA [AUS] |     | 2 (Peak) |      |       |

### **Biological limits**

No biological limit values have been entered for this product.

### 8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas.

**PPE** 

Eye / Face Wear splash-proof goggles. Hands Wear PVC or rubber gloves.

**Body** When using large quantities or where heavy contamination is likely, wear coveralls and a PVC apron and

Page 3 of 7

safety boots.

Respiratory Not required under normal conditions of use.





# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

**Appearance CLEAR GREEN LIQUID** 

Odour FRESH SWEET APPLE ODOUR

**Flammability** NON FLAMMABLE Flash point **NOT RELEVANT** 



SDS Date: 22 Apr 2025

Revision No: 1.2

9.1 Information on basic physical and chemical properties

Boiling pointNOT AVAILABLEMelting pointNOT AVAILABLEEvaporation rateNOT AVAILABLE

**pH** 7.5 to 8

Vapour density NOT AVAILABLE

Relative density 1 00 **SOLUBLE** Solubility (water) Vapour pressure **NOT AVAILABLE NOT RELEVANT** Upper explosion limit **NOT RELEVANT** Lower explosion limit **NOT AVAILABLE** Partition coefficient **NOT AVAILABLE** Autoignition temperature NOT AVAILABLE Decomposition temperature NOT AVAILABLE Viscosity **Explosive properties** NOT AVAILABLE Oxidising properties NOT AVAILABLE **Odour threshold** NOT AVAILABLE

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

### 10.2 Chemical stability

Stable under recommended conditions of storage.

### 10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

### 10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites) and acids (e.g. nitric acid).

### 10.6 Hazardous decomposition products

May evolve carbon oxides and hydrocarbons when heated to decomposition.

### 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

Acute toxicity Acute oral exposure may result in irritation of the mouth, throat, oesophagus and gastrointestinal tract.

# Information available for the ingredients:

| Ingredient                       | Oral LD50        | Dermal LD50 | Inhalation LC50 |
|----------------------------------|------------------|-------------|-----------------|
| SODIUM DODECYLBENZENE SULPHONATE | 438 mg/kg (rat)  |             |                 |
| SODIUM LAURYL ETHER SULPHATE     | 1600 mg/kg (rat) |             |                 |

**Skin** Irritating to the skin. Contact may result in irritation, redness, pain, rash and dermatitis.

Eye Causes serious eye irritation. Contact may result in irritation, lacrimation, pain and redness.

**Sensitisation** Not classified as causing skin or respiratory sensitisation.

 Mutagenicity
 Not classified as a mutagen.

 Carcinogenicity
 Not classified as a carcinogen.

 Reproductive
 Not classified as a reproductive toxin.

STOT - single Over exposure may result in irritation of the nose and throat, with coughing.

exposure

**STOT - repeated** Not classified as causing organ damage from repeated exposure.

exposure

**Aspiration** Not classified as causing aspiration.



SDS Date: 22 Apr 2025 Revision No: 1.2

Page 4 of 7

# 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No information provided.

### 12.2 Persistence and degradability

Readily biodegradable.

#### 12.3 Bioaccumulative potential

Not expected to bioaccumulate.

#### 12.4 Mobility in soil

Legislation

No information provided.

### 12.5 Other adverse effects

Avoid contamination of drains and waterways.

### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Waste disposal Reuse where possible. For small amounts, flush to sewer with excess water. Alternatively absorb with sand,

vermiculite or similar and dispose of to an approved landfill site. Contact the manufacturer/supplier for

additional information if disposing of large quantities (if required).

### 14. TRANSPORT INFORMATION

### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

Dispose of in accordance with relevant local legislation.

|                              | LAND TRANSPORT (ADG) | SEA TRANSPORT (IMDG / IMO) | AIR TRANSPORT (IATA / ICAO) |
|------------------------------|----------------------|----------------------------|-----------------------------|
| 14.1 UN Number               | None allocated.      | None allocated.            | None allocated.             |
| 14.2 Proper<br>Shipping Name | None allocated.      | None allocated.            | None allocated.             |
| 14.3 Transport hazard class  | None allocated.      | None allocated.            | None allocated.             |
| 14.4 Packing Group           | None allocated.      | None allocated.            | None allocated.             |

#### 14.5 Environmental hazards

Not a Marine Pollutant.

### 14.6 Special precautions for user

Hazchem code None allocated.

# 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals (GHS Revision 7).

Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals)

All components are listed on AIIC, or are exempt.

### 16. OTHER INFORMATION

**Additional information** 



SDS Date: 22 Apr 2025 Revision No: 1.2

Page 5 of 7

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

WORKPLACE CONTROLS AND PRACTICES: Unless a less toxic chemical can be substituted for a hazardous substance, ENGINEERING CONTROLS are the most effective way of reducing exposure. The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release. Isolating operations can also reduce exposure. Using respirators or protective equipment is less effective than the controls mentioned above, but is sometimes necessary.

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

#### **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

#### **Abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide
IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

Page 6 of 7

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

#### Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.



SDS Date: 22 Apr 2025

Revision No: 1.2

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794

Email: info@rmtglobal.com Web: www.rmtglobal.com

[ End of SDS ]



SDS Date: 22 Apr 2025

Revision No: 1.2